


## NEEDLE DETECTOR

The latest needle detector from YDS Ltd truly represents the 3rd generation of metal detectors designed to satisfy all the application and functional requirements in clothing and footwear factories



- ◇ **High Sensitivity**
- ◇ **High immunity to magnetic disturbances**
- ◇ **Unaffected by voltage fluctuations on power lines**
- ◇ **Now with greater tolerance to non-ferrous accessories**

## FEATURES:

- Easily meets the sensitivity demands of all leading retailers
- High immunity to magnetic disturbances from sewing machines
- Detector completely unaffected by electrical supply voltage fluctuations (from 86 - 260 volts)
- Quick release conveyor system for easy cleaning and belt change without tools
- Polished stainless steel conveyor frame for strength and lifetime appearance
- Product memory function
- Secure operation prompts supervisor intervention when a contaminant is found.
- All parameters and detector settings are pass code protected.

## DIGITAL DISPLAY:

State of the art high speed 32bit RISC processor based architecture ensures:

- New, fast and accurate detection algorithms
- Large product and event memory
- Multiple communications options
- Field and remote upgradable firmware capability

## OPTIONS AVAILABLE:



- Printer connection for data log
- Bar code scanner for product check



## SPECIFICATION:

Model	225	228	229
Detection Method	Balanced coil	Balanced coil	Balanced coil
Sensitivity	1.0mm ferrous metal sphere	1.2mm ferrous metal sphere	1.5mm ferrous metal sphere
Detection Height	125mm	200mm	225mm
Detection Width	550mm	550mm	550mm
Alarm Method	Buzzer, Belt stop	Buzzer, Belt stop	Buzzer, Belt stop
Belt Speed	30m/min	30m/min	30m/min
Power supply	220 V / 1 phase	220 V / 1 phase	220 V / 1 phase
Power consumption	400 VA	400 VA	400 VA
Machine Dimension (mm)	L 2000 x W 1000 x H 1010	L 2000 x W 1000 x H 1060	L 2000 x W 1000 x H 1260
Machine Weight	350 kg	375 kg	385 kg
System Interface	RS 232 output	RS 232 output	RS 232 output

Overall dimensions in millimeters Model 225:



As part of a continuing process of development, YDS Limited reserves the right to alter specifications and other product details without notice.

© Copyright 2001 - 2005 York Detection Systems Limited  
 York Detection Systems Ltd  
 Tel +44 161 622 3600 Fax +44 161 678 7688  
 Email sales@yorkdetection.com

Distributed By:

**YDS**